# ILLUSTRATED PARTS






1996

# **PUSH MOWERS**

Model Number					
116-106C000 thru 116-109C000	2, 3				
116-325A000 and 116-328C000	4, 5				
116-410A000 thru 116-428N000	6, 7				
Engine Shrouds	8				

### **Models 106 thru 109**



### Models 106 thru 109

### PARTS LIST FOR MODELS 106 THRU 109 ROTARY MOWERS

REF.	PART NO.	CODE	DESCRIPTION	REF.	PART NO.	CODE	DESCRIPTION
1	647-0004		Control Handle Ass'y. (Deluxe)	41	751B21314	6	Cable Clamp
	747-0824		Control Handle Ass'v. (Std.)	42	710-1237	i	Hex Self-Tap Scr. #10-32 x .62"
2	710-0605		Oval C-Sunk Scr.	44	735-0639		Spark Plug Boot
3	736-0501		Spr. Wash66" I.D.	45	811-00185		Throttle Box Comp. (Incl. Ref. 2,
4	746-0876		Throttle Lever	_			3, 4, 5, 6)
5	712-0324		Hex L-Nut 1/4-20 Thd.	46	738-0102		Axle Bolt
6	646-0875		Throttle Body	47	736-0105		Bell-Wash400" I.D. x .88"
7	720-0226		Grip (Optional)	48	738-0507B		Shld. Bolt .50" Dia. x .357"
8	749-0538C		Upper Handle	49	14832		Spring Lever Ass'y, w/Knob
10	710-1205		Rope Guide	50	15262B		Pivot Bar
12	720-0276		Hand Knob	51	15261A		Height Adj. Plate
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	52	**		Wheel Ass'y. Comp.
14	726-0240		Cable Tie	53	14578		Height Adj. Ass'y. Comp.—
15	749-0928		Lower Handle				R.F. & L.R.
16 17	714-0104		Hairpin Cotter		14579		Height Adj. Ass'y. Comp.—
18	17098 731-1447		Hinge Clip				L.F. & R.R.
19	12935B		Rear Flap	54	746-0842		Throttle Cable—51"
20	12936B		Handle Bracket Ass'y.—L.H.	55	746-0550		Control Cable—39" (109A)
21	736-0356		Handle Bracket Ass'y.—R.H.	i	746-0553		Control Cable—36" (106C.
22	712-0798		Bell-Wash39" I.D. x 1.38"				108C)
23			Hex Nut 3/8-16 Thd.*	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x
24	†† **		Hub Cap		700 0504		1.0" Lg.
29	682-0016		Bearing (Optional) 20" Deck Ass'y.	58	736-0504		Wave Washer .51" I.D. (Used
30	753-0484		Blade Adapter Kit		740 0000		w/Ball Bearings)
31	736-0452		Bell-Wash39" I.D.	59	710-0603		Hex Wash. Hd. B-Tap Scr.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	60	700 0070		5/16-18 x .5" Lg.
33	742-0720		20" Mulching Blade	62 63	720-0279		Handle Knob 1/4-20 Thd.
34	710-1055		Hex Bolt 3/8-24 x 1" Lg.	64	682-7000 731-1409	ĺ	Mulching Plug
35	736-0169		L-Wash. 3/8" I.D.*	65	731-1409	}	Chute Deflector
36	712-0241		Hex Nut 3/8-24 Thd.	66	710-0599		Bell-Wash. 1/4" I.D.
39			Engine	00	7 10-0599		Hex Wash. Hd. TT-Tap Scr.
			3				1/4-20 x .5" Lg.

<sup>\*</sup>For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

#### \*\*WHEEL CHART


Wheels w/o Bearings	Wheels with Bearings† \text{XXX} (Brg. Part No. 741-0484) "S" Wave Tread		
734-1781 (Gray— No Hub Cap) 634-0020 (Gray— Uses Hub Cap)	734-1790 (Yellow) 734-1517B (Beige) 734-1513B (Gray)		

†Require Wave Washer 736-0504

### Models 325 and 328

#### \*\*WHEEL CHART

Bar Tread		"S" Wave Tread	
734-1781		734-1512A	




### **Models 325 and 328**

### PARTS LIST FOR MODELS 325 AND 328 ROTARY MOWERS

DEE	PARTS LIST FOR MODELS 325 AND 328 ROTARY MOWERS REF. PART						
NO.	NO.	CODE	DESCRIPTION	REF NO.		CODE	DESCRIPTION
1	747-0824		Control Handle Ass'y. (Std.)	48	12296B		Handle Brkt. Ass'y.—R.H.
2	647-0004		Control Handle Ass'y. (Deluxe)	49	710-0896		Hex L-Wash. B-Tap Scr.
2 3	17007 710-0605		Rear Panel Baffle				1/4 x .62" Lq.
4			Oval C-Sunk MachScr.	50			Bell-Wash39" I.D.
5	736-0501 720-0279		Spr. Wash66" I.D.	51			Hex Nut 3/8-16 Thd.*
6	646-0875		Handle Knob 1/4-20 Thd.	52	710-0654A	1	Hex L-Wash. Hd. Scr.
7	712-0324		Throttle Body			}	3/8-16 x 1" La.
8	749-0538C		Hex L-Nut 1/4-20 Thd.	53			21" Deck Ass'y.
9	746-0876		Upper Handle	54	_		Chute Baffle
10	736-0270		Throttle Lever	55			Retaining Strip 14.25" Lg.
11	710-0252		Bell-Wash. 1/4" I.D. Hex Bolt 1/4-20 x .85"*	56	731-0669	Ì	Rear Flap 17.30" Lg.
12	746-0843			57	731-0859A		Rear Chute Deflector
	746-0845		Throttle Control Wire—55" (328C)	58	731-0856A		Hardtop Handle
13	710-1205		Throttle Control Wire—45" (325A)   Rope Guide		731-0857A		Hardtop Bag Cover
14	710-0653		Hey R-Tap Sor 1/4 v 2011 a	60	749-0736A		Rear Catcher Frame
15	720-0276		Hex B-Tap Scr. 1/4 x .38" Lg. Hand Knob	61	764-0411		Front Catcher Frame
16	746-0554		Control Cable—40.5" (328C)	62	764-0252		Grass Bag
	746-0555		Control Cable—40.5 (328C) Control Cable—55" (325A)	63	720-0226	l	Foam Grip†
17	726-0240		Cable Tie	65	736-0463		Fl-Wash281" I.D.
18	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	72	736-0452		Bell-Wash39" I.D.
19	749-0928		Lower Handle	73	742-0621		21" Blade
20	811-00185		Throttle Box Comp. (Incl. Ref. 3,	74	742-0721		21" Mulching Blade†
_0	311 00100		4, 5, 6, 9)	74	753-0484	ĺ	Blade Adapter Kit
21	710-1237		Hex Self-Tap Scr. #10-32 x .62"	75	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.
	7.0 (20)		Lg. (328C)	76	15261A		Height Adj. Plate
	710-0871		Hex Sems Scr. #10-32 x .3" Lg.	77	15262B		Pivot Bar
	1,000,1		(325A)	78	14832		Spring Lever Ass'y. w/Knob
22	735-0639		Spark Plug Boot	79 80	738-0507B		Shld. Bolt .50" Dia. x .357"
23	751B213146	s	Cable Clamp (328C)	81	736-0105		Bell-Wash38" I.D. x .88" O.D.
	7510007755		Cable Clamp (325A)	01	731-0981A 720-0249		Hub Cap (5-1/2" Dia.)†
24	710-0352	ľ	Hex B-Tap Scr. 1/4 x .38" Lg.	82	14578		Hub Cap (3-1/2" Dia.)†
25	710-0252		Hex Bolt 1/4-20 x .85" Lg.	02	14579	ľ	Height Adj. Ass'y. Comp.—R.H.
26	710-0134		Carriage Bolt 1/4-20 x .62" Lg.		145/9		Height Adj. Ass'y.
27		1	Engine Engine	83	**		Comp.—L.H. (Not Shown)
28	17013A	1	Baffle	84	14764C		Wheel Ass'y. Comp.
29	736-0329		L-Wash. 1/4" I.D.*	85	14765	}	Index Plate
30	712-0287		Hex Nut 1/4-20 Thd.*	03	14766	1	Pivot Bar—R.H.
	710-1055	ļ	Hex Bolt 3/8-24 x 1" Lg.	86	720-0190		Pivot Bar—L.H. (Not Shown)
32	736-0169		L-Wash. 3/8" I.D.	87	732-0417A	1	Spring Lever Knob
33	712-0241		Hex Nut 3/8-24 Thd.	88	16106		Spring Lever
	731-0858	i	Seal—Extrusion	- 55	10100	- 1	Rear Height Adj. Ass'y.
	714-0104		Int. Cotter Pin 5/16" Dia.	[	16107	1	Comp.—R.H.
36	726-0106	1.	Cap Speed Nut		10107		Rear Height Adj. Ass'y.
	747-0698B		Hinge Pin 17.75" Lg.	89	738-0102		Comp.—L.H. (Not Śhown) Axle Bolt
	750-0566	1:	Spacer .255" I.D.	92	720-0102		Grass Catabar Laglain - Karak
	732-0577B	1	Torsion Spring—L.H.	93	736-0498		Grass Catcher Locking Knob
	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	94	736-0286		Internal L-Wash. 1/4" I.D. Wave Washer 3/8" I.D.
	736-0169		L-Wash. 3/8" I.D.*	95	738-0137		Shid Bolt 240" Dia v. goos
12	712-0711		Hex Jam Nut 3/8-24 Thd.	96	731-1446		Shid. Bolt .342" Dia. x .268"
13	732-0578B	-	Torsion Spring—R.H.	97	782-7010		Mulching Plug†
	12297B		Handle Brkt. Ass'y.—L.H.	98	710-1006		Stop Bracket †
15	710-1017	1-	Forx Mach. AB-Tap Scr. 1/4 x	99	731-1461		Hex Tap Scr. 3/8-16 x .75" Lg.†
		4		100	782-7011		Chute Deflector†
	731-0970B	1	Deflector Plug	101	712-0324		Chute Mounting Brkt.†
17	731-0931			102	710-0286		Hex L-Nut 1/4-20 Thd.† Mach. Scr. 1/4-20 x .5" Lg.†
			<u> </u>		0200		Mach. 301. 1/4-20 X .5 Lg.T

†Optional Parts

<sup>\*</sup>For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.



## Models 410 thru 428

### PARTS LIST FOR MODELS 410 THRU 428 ROTARY MOWERS

DEE	PARTS LIST FOR MODELS 410 THRU 428 ROTARY MOWERS						
REF. NO.	NO.	CODE	DESCRIPTION	REF.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle (Std.)	33	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.
	647-0004		Control Handle Ass'v. (Deluxe)	34		ĺ	Roll Wooh 2011 D
	747-0615		Control Handle	35			Bell-Wash39" I.D.
_		1	_ (116-428N022/722)	36		l	Hex Bolt 3/8-24 x 1" Lg. 21" Blade
2	710-1205		Rope Guide	00	742-0721	ļ	
3	720-0279		Handle Knob 1/4-20 Thd.		742-0721	ļ	21" Mulching Blade (Optional)
4	710-1174		Curved Hd. Bolt 5/16-18 x	1	742-0741	[	21" Mulching Blade
_			2" Lg.	37	736-0169	ĺ	(116-418Ď401) L-Wash. 3/8" I.D.*
6	720-0276		Hand Knob	38	712-0241		L-vvasn. 3/8" [.D."
7	710-0605		Oval C-Sunk Mach. Scr.	39	736-0356		Hex Nut 3/8-24 Thd.
	710-1270		Oval C-Sunk Mach. Scr.	40	712-0798		Bell-Wash39" I.D. x 1.38"
			(Model 425 Only)	41	15261A		Hex Nut 3/8-16 Thd.*
8	736-0501		Spr. Wash66" I.D.	42	15262B		Height Adj. Plate
9	712-0324		Hex L-Nut 1/4-20 Thd.	43			Pivot Bar
10	746-0876		Throttle Lever	44	14832		Spring Lever Ass'y. w/Knob
11	749-0538C		Upper Handle		738-0507B		Shld. Bolt .5" Dia. x .357"
	749-0920A		Upper Handle	45	736-0105		Bell-Wash38" I.D. x .88" O.D.
			(116-428N022/722)	46	738-0102		Axle Bolt
12	720-0226		Foam Grip (Optional)	47	720-0190		Spring Lever Knob
13	749-0928		Lower Handle	48	732-0417A		Spring Lever
14	726-0240		Cable Tie	49	14578		Height Adj. Ass'v. Comp.—R.H.
15	764-0310				14579		Height Adj. Ass'y. Comp.—L.H.
16	746-0550		Rear Catcher Frame†				(Not Shown)
'0	740-0550		Control Cable—39" (410, 412,	50	14765	i	Pivot Bar
	746 0727	İ	414, 424)	51	782-5002		Front Baffle
ļ	746-0737		Control Cable—51" (411, 413,	52	710-0654		Hex L-Wash. Hd. Scr. 3/8-16 x
- 1	746 0550	1	423, 425)	ĺ			1" Lg.
	746-0553	i	Control Cable—36" (416, 418,	53	782-5003		Rear Baffle
17	740 0047		426, 428)	54	710-1017		Torx Mach. AB-Tap Scr. 1/4 x
17	746-0847		Throttle Control Wire—42"			- 1	.62" Lg.
1	740 0040	1	(411, 413, 423, 425)	55	710-0892	ľ	Hex L-Wash. Hd. AB-Tap Scr.
	746-0843		Throttle Control Wire—55"				1/4 x .62" Lg.
40	<b>7</b> 04 004 1	1	(416, 418, 426, 428)	56	682-0516	Ì	Handle Brkt. Ass'y.—R.H.
18	764-0311		Front Catcher Frame†	57	682-0515		Handle Dikt. Ass y.—H.H.
	764-0309		Grass Bag†	58	782-0310	l	Handle Brkt. Ass'y.—L.H. 21" R.D. Deck
	764-0457	İ	Grass Bag w/Logo†	59	**	- 1	Mhool Assis Comm
	714-0104		Int. Cotter Pin 5/16" Dia	60	***		Wheel Ass'y. Comp.
	732-0678		Door Spring—R.H.	61	764-0433	1	Hub Cap
22	732-0677		Door Spring—L.H.	62	731-1322		Grass Bag††
23	782-7000 <sup>1</sup>		Rear Discharge Door	63	710-0286		Hard Top Cover††
24	751B213146	;	Cable Clamp (B&S)	93	/10-0200		Pan Hd. Mach. Scr. 1/4-20 x .5"
ļ	7510007755		Casing Clamp (Tec.)	64	710 0004		Lg.††
25	646-0875		Throttle Body		712-0324		Hex Nylon L-Nut 1/4-20 Thd.††
	811-00185	-	Throttle Box Comp. (Incl. Ref. 7,	65 66	782-9011	1	Mounting Bracket††
			8, 9, 10, 25)		782-5007	i	Mulching Baffle Plug (Optional)
27			Engine	67	782-5004	1	Mulching Baffle—R.R. (Optional)
	710-1237		Hex Wash. Hd. Scr. #10-32 x	68	731-1405	1	Deflector (Optional)
	0,		.62" Lg.	69	711-0996		Rod (Optional)
	710-0871		Hey Some Sor #10 00 of t	70	726-0201	- 1	Push Speed Nut (Optional)
1	0 00/1		Hex Sems Scr. #10-32 x .3" Lg.	71	710-0192		Truss Scr. #10-24 x .38" Lg.
29	735-0620		(Tec.)	72	720-0275		Knob
	735-0639		Spark Plug Boot (Optional)	73	731-1506		Deck Shroud (Optional)†
	732-0700		Wire Rod	76	748-0376		Blade Adapter (116-418D401)
31 7	731-1236		Rear Flap	77	736-0524		Blade Bell Support
32 7	753-0484	ĮE	Blade Adapter Kit				(116-418D401)
_			- / 135/101 / 130				(116-418D401)

†Models 410 thru 418 only. ††Models 423 thru 428 only.

# OPTIONAL ENGINE SHROUDS

OPTIONAL ENGINE STITOOBS								
Part No. 751B281439	Part No. (Color 731-1395 Red 731-1396 Black 731-1397 Gray	Part No.         Color           731-1587         Black           731-1603         Yellow           731-1610         Pewter	Part No.         Color           731-1561         Black           731-1612         Red					
Hardware: 710-1256 (Screw)	Hardware: 710-1256 (Screw)	Hardware: 710-1184 (Screw)	Hardware: 7510042823 (Screw)					
	OF THE PROPERTY OF THE PROPERT							
Part No.         Color           731-1402A         Yellow           731-1694         Black	Part No. 7510014308 Color Black	Part No. Color 731-1585A Black	Part No. Color 731-1586A Black					
731-1695 Silver  Hardware: 710-1256 (Screw)	Hardware: 7510042823 (Screv)	Hardware: 710-1274 (Screw)	Hardware: 7510042823 (Screw)					